



MSDS

MATERIAL SAFETY DATA SHEET According to 1907/2006/ EEC/ Article 31

1. Product Name and Company Identification:

Product Name Product Use

CAS No HSN No Company Name Company Address

First Date Issued **Date Issued Emergency Telephone Number** Extract Expert™ Camphor white Oil

Skin Conditioning Agent, Food/Beverage Additives, Cosmetic Application,

92201-50-8 / 8022-91-1 / 8008-51-3

33012941

Evaz International

A1008, 10th Floor, PRIVILON, Opp. ISKCON Temple, Bopal-Aambli Road, Ahmedabad, Gujarat, INDIA.

2019/01/22 2021/03/27 079-40397289

2. Composition/information on Ingredients:

Composition **Chemical Identity** Cinnamomum Camphora Bark Oil Liquid

3. Hazards Identification:

3.1 Classification of the substance or mixture

Classification according to regulation (EU1272/2008)

3.2 Label Elements

Labeling according to Regulation (EC) No 1272/2008

GHS Label Signal Word Contains

Hazard Statement

H226

H315

H319

H317

H410

H304

Precautionary Statements

P210

P233

P240

P241

Aspiration toxicity category 1 - (H304). Skin corrosion/irritation category 2 - (H315). Serious eye damage/eye irritation category 2 - (H319). Skin sensitization category 1b - (H317). Chronic aquatic toxicity category 2 - (H411). Flammable liquids category 3 - (H226).



GHS07





Danger

Limonene, alpha- pinene, para-cymene, P-mentha-1, 4-diene, beta-pinene, 7methyl-3-methyleneocta-1,6-diene, sabinene, alpha-terpinolene, phellandrene.

Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

May be fatal if swallowed and enters airways.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical equipment.





P242 P243 P261 P264 P272 P302+P352 if on skin P303+P361+P353 if on skin

P305+P351+P338 if in eyes

P321
P332+P313 if skin irritation occurs
P333+P313 if skin irritation
P337+P313 if eye irritation persists
P362+P364
P370+P378 in case of fire
P403+P235
P405
P501
Supplementary Precautionary
Statements
Section 16 (Other Information

3.3 Other Hazards

Adverse physiochemical properties Adverse effects on human health Pbt or vpvb according to Annex XIII Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapour/spray.

Wash contaminated skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wash with plenty of water.

Take off immediately all contaminated clothing. Rinse skin with water Or shower.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see medical advice on this label).

Get medical advice/ attention.

Get medical advice/ attention.

Get medical advice/ attention.

Take off contaminated clothing and wash it before reuse.

Use foam, carbon dioxide, dry powder or water fog to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents in accordance with national regulations.

None

Risk & Safety phrases in full.

Toxic to aquatic life May be harmful if swallowed may be harmful in contact with skin No data

4. First Aid Measures:

4.1 Description of first aid measures

General Information
After inhalation

After Ingestion

After skin contact

After Eye Contact

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Always remove contaminated clothing immediately.

Get medical attention immediately. Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Get medical attention immediately. Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

No data

No data

5. Fire Fighting Measures:

- 5.1 Extinguishing media Suitable extinguishing agents
- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters:

 Special protective equipment for fire-fighters

Foam, Co2, Dry Chemical Powder.

Burning produces irritating, toxic, and obnoxious fumes

Wear positive-Pressure self-Contained breathing apparatus (scba) and appropriate protective clothing.



A1008, 10th Floor, PRIVILON, Opp. ISKCON Temple, Bopal-Aambli Road, Ahmedabad - 380015, GJ, INDIA Phone: 079 4039 7289, Email: info@evazinternational.com, Web: www.evazinternational.com.

6. Accidental Release Measures:

- 6.1 Personal precautions, protective equipment, and emergency procedures
- **6.2 Environmental precautions**
- 6.3 Methods and material for containment and cleaning up
- 6.4 Reference to other sections

Ensure adequate ventilation of the working area, evacuate personnel to a safe area, wear suitable protective equipment. no smoking, sparks, flames, or other sources of ignition near spillage. avoid contact with skin, eyes, and clothing.


Do not discharge into drains, watercourses, or onto the ground. dispose of in line with local authority guidelines.

Remove ignition sources. provide adequate ventilation. avoid excessive inhalation of vapors. Contain spillage immediately by use of sand or inert powder. dispose of according to local regulations.

Refer & consider section 8. Refer & consider section 13.

7. Handling and Storage:

7.1 Precautions for safe handling



7.3 Specific end use(s)

Handle in accordance with good hygiene and safety practices. Keep away from heat, sparks, open flames, and hot surfaces. - no smoking. use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation do not eat, drink or smoke when using this product.

Flammable liquid storage. Store only in the original receptacle. Keep container tightly sealed. Keep in cool, dry, ventilated storage and closed containers. Keep away from heat.

The information required is in risk management methods

8. Exposure Control / Personal Protection:

Additional information about the design of technical systems

8.1 Control parameters

Components with limit values that require monitoring at the workplace Additional information

8.2 Exposure controls

Eye Protection

Hand Protection

Respiratory Equipment

Hygiene Measures

Engineering Measures Skin protection Personal protection No further data; see item 7.

Not available

The lists that were valid during the creation were used as a basis.

Wear protective gloves/eye protection/face protection. Avoid contact with eyes. Wear approved safety goggles. (EN166).

Avoid contact with skin. Wash hands before breaks and at end of work. Wear protective gloves. Din/EN374. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Penetration time of glove material: the exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Do not inhale gases $\/$ fumes $\/$ aerosols. Certified respiratory protective device recommended.

Good personal hygiene practices are always advisable, especially when working with chemicals \not oils.

None

Wear protective clothing to reduce the risk of skin and eye contact.

Avoid inhalation of the product. Avoid contact with skin and eyes. Avoid contact with skin and eyes. Use personal protection according to directive 89/686/eec.





Other protection

Process conditions

Environmental exposure controls

Wear suitable protection to avoid contact with skin and eyes. Do not inhale

Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & eye

Avoid discharging into drainage water.

9. Physical & Chemical Properties:

9.1 Information on basic physical and chemical properties

General Information Appearance Form Colour

Odor

Odor threshold **Relative Density**

Refractive Index Flash Point (°C)

Solubility in Water @ 20°C

9.2 Other information



Slightly soluble in water. 1.0-100 mg/l

Reach dossier information. The auto ignition temperature of the test substance was measured according to EU A.15/din 51794 guideline. Three main tests were performed, the relevant parameters were recorded and results ranged between 254 and 255°c. The lowest result, rounded down to 5°c, I.E., 250°c is retained.

10. Stability and Reactivity:

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

Presents no significant reactivity hazards. No reaction known with water.

Chemically stable material under the recommended storage and handling conditions.

None under normal processing.

Storage at high temperatures. Do not store above 15°C

Avoid concentrated acids, alkalis & oxidising agents.

This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating fumes & smoke.

11. Toxicological Information:

11.1 Information on toxicological effects

Acute toxicity

Primary irritant effect

On the skin

On the eye

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Additional toxicological information

STOT — single exposure STOT — repeated exposure

Aspiration hazard Other information

Not Classified

Causes skin irritation

Causes serious eye irritation

May cause an allergic reaction

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

May be harmful if swallowed and enters airways.

Not Applicable





12. Ecological Information:

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

None

No Data

Reach dossier information. Partition coefficient, log kow, of the substance sabinene (CAS3387-41-5), has been calculated by the model isaferat® ha-qsar toolbox v1.1.calculation was performed from the input smiles of sabinene,, and sabinene falls inside the applicability domain of the model.

Therefore, the log kow value of sabinene is 4.64. Sabinene cannot be excluded as potential bioaccumulative in a pbt context.

None

Not Available

None

13. Disposal Methods:

13.1 Waste treatment methods

Recommendation



Always recover the spilled product. Discard waste material with authorized waste management services. Act in accordance with local & national waste regulations.

14. Transport Regulations:

14.1 Shipping Name

14.2 UN Number

14.3 Packing group

14.4 Environmental hazard

14.5 Special precautions for user

14.6 Transport in bulk according to annex II of MARPOL73 & the IBC code

14.7 Transport hazards
ADR/RID class
IMDG class
ICAOclass

Transport labels



Camphor Oil.

ROAD: UN 1130, SEA: UN 1130 and AIR: UN 1130.

ADR/RID/ADN Packing Group IIIIMDG Packing Group IIIICAO

Packing Group III

Environmentally hazardous/Marine Pollutant.



Not Applicable

No Data

3 flammable liquid

3 flammable ligiud

3 flammable liquid











15. Regulatory Information:

15.1 Product-specific safety, health & environmental regulation & legislation EU Directives

Statutory Instruments

Approved Code of Practice

Guidance Notes

15.2 Chemical Safety Assessment

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18th December 2006. Concerning the registration, evaluation, authorization & restriction of chemicals (REACH), establishing a European Chemicals Agency, amending Directive 199/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC, 93/105/EEC &2000/21/EC (including amendments).

The Chemicals (Hazard Information & Packaging for Supply Regulations 2009 (S.I.2009 No 716).

Classification & labeling of substances & preparations dangerous for supply. Safety data sheets for substances & preparations.

Workplace exposure limits EH40. CHIP for everyone HSG 108.

Assessment has not been carried out as this is a non-hazardous material according to article 31 of REACH 1907/2006

16. OTHER INFORMATION:

Hazard and/ or precautionary statements in full

H226

H302

H303

H304

H315

H316

H317

H319

H400

H410 H411

Training instructions

Other information

Flammable liquid and vapour.

Harmful if swallowed.

May be harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes mild skin irritation

May cause an allergic skin reaction.

Causes serious eye irritation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

Refer to possible hazards before use of this product.

Whilst Evaz International gives the above advice in good faith, it is not intended to be a substitute for customers' own testing to ascertain good safety procedures.

These regulations were designed for handling bulk products and to readily identify Toxic & Safety Data. Safety information is under continuous review. This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered to be dependable and is accurate to the best of the Company's knowledge. However, the information is provided without any representation or warranty, expressed or implied regarding its accuracy or correctness. The Company cannot assume responsibility for adverse events which may occur in the use and/or misuse of this product and expressly disclaims liability for loss, damage, and/or expense arising out of or in any way connected with the handling, storage, use and/or disposal of this product.







Department issuing
Quality Assurance
Contact
Abbreviations and acronyms
MSDS
INCI
RID

IMDG

ICAO

ADR

ADN
IATA
GHS
TREM CARD
EINECS
CAS
PBT
VPVB
STOT

EVAZ INTERNATIONAL (INDIA)

info@evazinternational.com

Material safety data sheet.

International Nomenclature of cosmetic ingredients.

International carriage of dangerous goods by rail.

International civil aviation organization.

Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

International Maritime Code for Dangerous Goods.

International carriage of dangerous goods by inland waterways.

International Air Transport Association.

Globally Harmonised System of Classification and Labelling of Chemicals. Transport emergency card.

European Inventory of Existing Commercial Chemical Substances.

Chemical Abstracts Service (a division of the American Chemical Society).

Persistent, Bioaccumulative, and Toxic.

Very Persistent and Very Bioaccumulative.

Specific target organ toxicity.





